

May 2025

Sub-Duct

A range of smooth bore solid wall polyethylene ducting is available manufactured to industry standard dimensional specifications in many ODs, colours, wall thicknesses and lengths as required. We offer all sizes in standard 6m lengths and sizes up to 75mm in coils. Bespoke sizes can also be manufactured to order as required to solve problems on-site due to changing conditions, trench and trough sizes.



| | |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Material | HDPE |
| Colour | Standard colour- black. Special colours and wall thicknesses available on request |
| Marking | Varies with application |
| Quality System & Inspection | All quality systems and inspection procedures comply with BS EN ISO 9001: 2015 (Certificate No: FM 01420) |
| Standards & Certification | Meets the dimensional requirements of BSEN50086-2-4. Electric cable duct complies with ENA-TS 12-24 class 3 standard. |
| Packaging | We offer all sizes in standard 6m lengths and sizes up to 75mm in coils. |
| Storage | For long term storage keep away from direct sunlight to avoid product degradation, over 12 months exposure to direct sunlight should be avoided |

All descriptions and illustrations in this publication are intended for guidance only and shall not constitute a 'sale by description'. All dimensions given are nominal and NAYLOR may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. The information in this publication is provided 'as is' on February 2024. Updates will not be issued automatically.

This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law) if you place any reliance on this publication, you must do so at your own risk. All rights reserved. Copyright in this publication belongs to NAYLOR and all such copyright may not be used, sold, copied or reproduced in whole or part in any manner in any media to any person without prior consent.

Technical Support

Our dedicated technical team is available for guidance and assistance.

For further information, please contact our Support Team: help@naylor.co.uk

www.naylor.co.uk



MetroSmooth Electric Cable Duct

| OD (mm) | ID (mm) | Length (m) | Marking | Code | Certification | Pack Quantity |
|---------|---------|------------|----------|-------|----------------------|---------------|
| 37mm | 32mm | 25m | Electric | 38020 | ENA-TS 12-24 Class 3 | - |
| 37mm | 32mm | 50m | Electric | 38023 | ENA-TS 12-24 Class 3 | - |
| 37mm | 32mm | 100m | Electric | 38024 | ENA-TS 12-24 Class 3 | - |
| 44mm | 38mm | 25m | Electric | 38021 | ENA-TS 12-24 Class 3 | - |
| 44mm | 38mm | 50m | Electric | 38025 | ENA-TS 12-24 Class 3 | - |
| 44mm | 38mm | 100m | Electric | 38026 | ENA-TS 12-24 Class 3 | - |
| 60mm | 50mm | 25m | Electric | 38033 | ENA-TS 12-24 Class 3 | - |
| 60mm | 50mm | 50m | Electric | 38034 | ENA-TS 12-24 Class 3 | - |

MetroSmooth Duct

| OD (mm) | ID (mm) | Length (m) | Marking | Code | Pack Quantity |
|---------|---------|------------|-----------------|-------|---------------|
| 63mm | 53mm | 6m | Street Lighting | 38028 | 288 |
| 63mm | 53mm | 6m | Traffic Signals | 38059 | 288 |
| 107mm | 97mm | 6m | Street Lighting | 38091 | 76 |
| 107mm | 97mm | 6m | Traffic Signals | 38030 | 76 |

MetroSmooth Connector

| OD (mm) | ID (mm) | Code | Pack Quantity |
|---------|---------|-------|---------------|
| 63mm | 53mm | 38007 | - |
| 107mm | 93mm | 38042 | - |

All descriptions and illustrations in this publication are intended for guidance only and shall not constitute a 'sale by description'. All dimensions given are nominal and NAYLOR may modify and change the information, products and specifications from time to time for a variety of reasons, without prior notice. The information in this publication is provided 'as is' on February 2024. Updates will not be issued automatically.

This information is not intended to have any legal effect, whether by way of advice, representation or warranty (express or implied). We accept no liability whatsoever (to the extent permitted by law) if you place any reliance on this publication, you must do so at your own risk. All rights reserved. Copyright in this publication belongs to NAYLOR and all such copyright may not be used, sold, copied or reproduced in whole or part in any manner in any media to any person without prior consent.

Technical Support

Our dedicated technical team is available for guidance and assistance.

For further information, please contact our Support Team: help@naylor.co.uk

www.naylor.co.uk

